

1.44.1

INDEX MAPS.

T.11N R.2W 2nd Mer.

Meandering 436

	400	400.	399-401	399-401	399-401	399-401	399-402
404	6	409	5	415	4	420	3
	409		414		420	425	2
403	7	408	8	414	9	419	10
	408		414		419	424	425
403	18	407	17	413	16	419	15
	407		413		418	423	424
403	19	406	20	412	21	418	22
	406		412		417	422	423
402	30	405	29	411	28	417	27
	404-405	410	410	416	416	422	422
402	31	404	32	409	33	415	34
	395	395	396	396	393-394	393-394	393-394
							395

T.12N R.2W 2nd Mer.

See Plat. 11

See Plat. 11

	453	453	452-454	452-454	452-454	452-455
457	6	5	477	4	472	3
			477	476	471	466
456	7	8	476	9	471	10
			476	474	470	465
456	18	17	474	16	470	15
			474	469	469	464
456	19	20	474	21	469	22
			474	469	464	23
455	30	29	473	28	468	27
			473	468	463	463
455	478	478	473	473	468	463
						457
455	31	477	32	472	33	467
						34
448	448	448	447-449	447-449	447-449	447-449

(F) The figures on the lines refer to the page.

Township No. 11. North of Range N^o. 2 West of the 2nd Mer. Ind.

Ch. No.

South Boundary.

a. f.

West	On a Random line on the South Boundary of Sec. 36, T. N. ^o 11 R. N ^o 2 N. 2 nd Mer. Indiana To a Creek 30.0ks. wide; Course N.W. 22.50 " Brook 10. " " N. 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ ac. 80.00 Set a temporary post for the cor. of Sec. 35 & 36 T. N. ^o 11. R. N ^o 2 N. Land hilly and middling good for farming; Timber Beech, Sugar, Ash, and Hickory
West	On a Random line on the South Boundary of Sec. 35 T. N ^o 11. R. N ^o 2 N. 2 nd Mer. (Ind.) 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ ac. 80.00 Set a temporary post for the cor. of Sec. 34 & 35 T. N. ^o 11. R. N ^o 2 N. Land rolling rich and good for farming. Timber Beech, Sugar, Poplar, Ash & Walnut
West	On a Random line on the South Boundary of Sec. 34 T. N ^o 11. R. N ^o 2 N. 2 nd Mer. Ind. 8.00 To a Brook 6 miles wide, Course N.W. 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ ac. 70.00 To a Brook 8 miles wide; Course N.W. 79.00 " " " 4 " " " " 80.00 Set a temporary post for the cor. of Sec. 33 & 34 T. N. ^o 11. R. N ^o 2 N. 2 nd Mer. Ind. East p. mile same as on the last mile; West p. rather broken; Timber same, rich soil.
West	On a Random line On the South Boundary of Sec. 33 T. N ^o 11. R. N ^o 2 N. 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ ac. 47.61 Intersected the N.E. Boundary line of Harrison's

I. N. H. R. No 2 W. 2nd Mer. Ind.

Purchase 11.85 links south of the Old Cor. post
Sands similar to the last mile. East part rather
broken.

East	On a true line, on the South Boundary of sec. 33. T. R. H. R. No 2 W. Var. 5 ⁰ 07"
2.00	To a Spring branch; course N.E.
7.61	Set the $\frac{1}{4}$ mile post for the cor. of the $\frac{1}{4}$ sec. on the true line from which a Beech 18 in. dia. bears N 87 ^W . 38 ^E . 11 ^{ft} dist. to a Llo 18 " " S 24 ^W . 26 " ,
17.00	To a Brook 10 links mid; course S.
47.61	Set a post for the cor. of sec. 33.134 I. H. R. No 2 W from which a Beech 16 in. dia. bears N 65 ^W . 19 ^E . 11 ^{ft} dist. and a Llo 10 " " N 44 ^E . 29 " ,
East	On a true line on the South Boundary of sec. 34. T. R. H. R. No 2 W.
40.00	Set a post for the cor. of the $\frac{1}{4}$ sec. on the true line from which a Beech 37 in. dia. bears S 36 ^W . 33 ^E . 11 ^{ft} dist. and a Sugar 10 " " N 31 ^E . 27 " ,
80.00	Set the temporary post on the true line for the cor. of sec. 34.135. I. H. R. No 2 W. from which a W. Oak 30 in. dia. bears N 74 ^W . 16 links east; and a Poplar 36 " " S 85 ^E . 29 " ,
East	On a true line On the South Boundary of sec. 35. T. No H. H. R. No 2 W.
8.00	To a Brook 10 links mid; course N.W.
40.00	Set the temporary $\frac{1}{4}$ mile post on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 12 in. dia. bears S 32 ^E . 21 links east; to Llo 8 " " N 70 ^W . 18 " , "

395

I. No. 11. N.R. R. 277. 2nd Mer. Ind.

80.00 Set the temporary post on the true line for the cor. to Sec. 35 & 36. I. No. 11. N.R. R. 277. from which a Beech 14 in. dia. bears N 39° W. 28 links dist; & a
Llo. 10" " " S 82° E. 31" "

East On a true line On the South Boundary of sec. 36. I.
No. 11. N.R. R. 277.

40.00 Set the temporary post on the true line for the cor. to the $\frac{1}{4}$ sec. from which a

— 18 in. dia. bears N 85° W. 19 links dist; & a
Hickory 9" " " S 69° E. 27" "

80.00 Intersected the N & S Range line between Range 152
4.89 ch. North of the temporary 6 mile post and
Set post for the cor. of sec. 1. G. 31. 136. I. 10. & 11. N.
R. 152 West from which a
Beech 12 in dia. bears S 76° E. 25 links dist; & a
Llo. 12" " " S 59° W. 55" "

Surveyed by

William Harris L.S.

East On a true line on the South Boundary of sec. 31. I. No.
11. N.R. R. 277. B. 176.

40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Walnut 20 in. dia. bears S 62° E. 21 links dist; & a
Huckleberry 14" " " N 41° W. 47" "

80.00 Set a post for the cor. of sec. 31. 132. I. M. 11. N.R.
R. 277. from which a

Sugar. 12 in dia bears S 62° E. 19 links dist; and a
Walnut 16" " " N 69° W. 27" "

Land River Bottom.

East On a true line on the South Boundary of sec. 32. I. No.
11. N.R. R. 277.

396

I. N^o 11. N. R. N^o 2 M² 2nd Mer. Ind.

- 40.00 Set a post for the cor. of the $\frac{1}{4}$ sec. from which a
Hackberry 14 in. dia bears S61 $^{\circ}$ W. 17 links dist; and a
W. Oak. 6 " " S49 $^{\circ}$ E. 41. " "
49.54 To White River corner S.E. The river was high
and we saw no farther [and it seems you set no post
and took no bearings]

Surveyed by James Holmes.

- East On the South Boundary of sec. 32. I. N^o 11. N.R. 2 M.
40.00 To the Old Post. K. 39.
49.54 To the White River. Left Bank. a Sycamore 18
in dia stands for the corner.
80.00 Set a post for the cor. of sec. 32. 133. I. N^o 11. N.R. 2 M
No bearing

- East On the South Boundary of sec. 33. I. N^o 11. N.R. 2 M
29.27 Intersects the N.E. Boundary Line of Garrison
Purchase and a post for the cor. of sec. 4833. I.²
10. N^o 11. N.R. 2 M. from which a
Beech 10 in. dia bears S61 $^{\circ}$ W. 19 links dist; & a
Loc 14 " " " N43 $^{\circ}$ W. 32 " "
Lands good for farming.

Surveyed by
William Harris. L.S.

East Boundary

- North On the East Boundary of sec. 36. I. N^o 11. N.R. N.
2 M. 2nd Mer. Indiana var 6.30' 212
To a Brook 8 links mid; corner S.W.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Hickory 24 in. dia bears North 26 links dist; & a
Buck 18 " " " S. 28 $^{\circ}$ W. 30 " "
80.00 Set a post for the cor. of sec. 25436. I. 10 N.R. 2 M.

T. N^o. 11. N.R. N^o. 2 W. 2nd Mer. Ind.

From which a W. Oak 12 in. dia. bears S47 E. 9 links east; and a W. Oak 30 " " N34 E. 19 " " Lands very broken and hilly, soil rich. Timber Beech, sugar, Oak, and Hickory.

North	On the East Boundary of Sec. 25. T. N ^o . 11. N.R. 2 W.
40.00	Set a half mile post for the cor. to $\frac{1}{4}$ sec. From which a W. Ash 12 in. dia. bears S20 E. 29 links east; & a Elm 18 " " S87 N. 24 " "
71.00	To the Left Bank of White River and set a post from which a W. Oak 30 in. dia. bears N87 E. 3 links dist; & a chestnut 5 " " S55 N. 21 " "
78.00	To the Right Bank of White River and set a post from which a Maple 9 in. dia. bears S44 N. 9 links dist; & a Box Elder 6 " " S69 E. 18 " "
80.00	Set a post for the cor. of sec. 24, 125 from which a Locust 10 in dia bears S50 N. 15 links east; & a Elm 12 " " N. 49 E. 24 " "
	Lands on this mile river bottom 1st rate soil over glens

North	On the East Boundary of Sec. 24. T. N ^o . 11. N.R. 2 W.
11.33	To a Maple on the Right Bank of White River which stands for the cor.
32.08	To a Maple 12 in. dia. which stands for the cor. on the Right Bank of White River.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Buckeye 10 in. dia bears S53 E. 12 links dist; & a Chestnut 10 " " S87 N. 20 " "
67.50	To a Bayou 50 links mid; course. N.
80.00	Set a post for the cor. of sec. 13. 824, from which a Hickory 9 in. dia. bears S38 E. 7 links dist; & a Chestnut 12 " " N33 N. 31 " "

T. N^o 11. N. R. N^o 2. T. P. 2nd Mer. Ind.

Sand soil and timber same as on the last mile.

North	On the East Boundary of Sec. 13. T. N ^o 11. N. R. N ^o 2. T. P.
40.00	Set a half mile post for the cor. to the $\frac{1}{4}$ sec. from which a Beech 15 in. dia. bears N 23° 19' W. 19 mks dist; and a Beech 8 " " S 56° E. 16 " "
80.00	Set a post for the cor. to Sec. 12 & 13. T. N ^o 11. N. R. 2. T. P. from which a Beech 18 in. dia. bears S 19° E. 13. 1/2 mks dist; and a W. Ash 24 " " N 35° W. 10 " " Sands all bottom; South p. rather wet; the 1/2 p. rate
North	On the East Boundary of Sec. N ^o 12 T. N ^o 11. N. R. N ^o 2. T. P.
40.00	Set a post for the cor. of the $\frac{1}{4}$ sec. from which a Beech 24 in. dia. bears N 75° W. 27 mks dist; and a W. Ash 50 " " S 33° E. 8 " " (19.5?) To a Brook 20 mks mid; comes S. P.
62.00	To a Brook 20 mks mid; comes S. E.
80.00	Set a post for the cor. of Sec. 1. 712 from which a Beech 13 in. dia. bears N 75° W. 30 mks dist, to a Maple 30 " " N 37° E. 23 " " Sands 2 nd rate bottom; part rather wet; Timber Beech, Hickory, Elm, Ash, Maple &c
North	On the East Boundary of Sec. 1. T. N ^o 11. N. R. N ^o 2. T. P.
40.00	Set a post for the cor. of the $\frac{1}{4}$ sec. from which a Beech 9 in. dia. bears S 69° W. 32 mks dist; and a 10. 9 " " S 48° E. 33 " "
80.00	Set a temporary post for the cor. of Sec. 1. 6. 31. & 36. Toms 11. H. 12 & 13. N. R. 15 D. W. Sands south p. similar to the last mile; North p. hilly and broken. Timber Oak, Hickory and Beech

I. N. II. N.R. No. 2. C.P. 2nd Mer. (Ind.)

West	On a Random line On the South Boundary of Sec. 36. I. N. II. N.R. No. 2. C.P. 2 nd Mer.
10.00	To a Brook 12 miles wide; Course S.W.
40.00	To a Creek 30 " " " S.E.
40.00	Set a temporary post for the cor. to the 1/4 sec.
80.00	Set a temporary " " " " Sec. 35, 36 I. N. II. N.R. No. 2. C.P. Land soil and timber same
West	On the South Boundary of Sec. 35. I. N. II. N.R. No. 2. C.P. 2 nd Mer. Random line
10.00	To a Brook 3 miles wide; Course S.E.
38.00	" " 3 " " "
40.00	Set a temporary post for the cor. to the 1/4 sec.
42.00	To a Brook 3 miles wide; Course S.E.
80.00	Set a temporary post for the cor. of Sec. 34 & 35. I. N. II. N.R. No. 2. C.P. Land middle level; East sharp rolling good farming land. Timber Birch Sugar Oak, Ash 10
West	On a Random line On the South Boundary of Sec. 34 I. N. II. N.R. No. 2. C.P.
2.00	To a Brook 12 miles wide; Course South.
40.00	Set a temporary post for the cor. to the 1/4 sec.
60.00	To a small Brook, course South.
68.00	" Brook 15 miles wide; Course South.
80.00	Set a temporary post for the cor. of Sec. 33 & 34. I. N. II. N.R. No. 2. C.P. Land similar to the last mile some sink holes and deep drains; Land good for farming; Timber Birch, Sugar Elm, Walnut Oak
West	On a Random line on the South Boundary of Sec. 33. I. N. II. N.R. No. 2. C.P.
40.00	Set a temporary post for the cor. of 1/4 sec.

I. N° 11. N.R. N° 2 P. 2nd Mer. Ind.

80.00	Set a temporary post for the cor. of sec. 32 & 33. I. N° 12. N.R. N° 2 W. Land very rich; many Birch holes; Timber Buck, Sugar, Walnut, & Poplar. Land good for farming
West	Between Sec. 5 & 32 or on the South Boundary of 32. I. N° 12. N.R. N° 2 W. Omitted taking notes.
West	On a Random line On the South Boundary of Sec. 31. I. N° 12. N.R. N° 2 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
74.16	Intersected the Atch Range line 8.77 South of the temporary post set for the cor. of T. 11. R. 7 1/2. S. 32. 41 ^o 28' West. Land and soil same. East p. Broken with Birch holes; West p. middling good for farming
East	On a true line On the South Boundary of Sec. 31. I. N° 12. N.R. N° 2 W. a 38
34.00	Set the temporary post on the true line for the cor. to 1/4 sec from which a W. Ash 9 in. dia bears S80 E 7 links dist, and a W. Ash 30 in. dia bears S45 W. 40 links dist;
74.00	Set the temporary post on the true line for the cor. of Sec. 31 & 32. I. N° 12. N.R. N° 2 W. from which a Buck 9 in. dia. bears N41 W. 38 links dist, and a Llo 18 " " " S47 E. 45 " "
East	On a true line, on the South Boundary of Sec. 32. I. N° 12. N.R. N° 2 W.
40.00	Set the temporary post on the true line for the cor. to the 1/4. Sec. from which a Buck 18 in. dia bears N75 W. 14 links dist, and a Buck 18 in. dia bears N70 E 20 links dist;
80.00	Set a post (temporary) on the true line for the cor. to Sec. 32. & 33. I. N° 12. N.R. N° 2 W from which a

401

P. N° 11. N.R. N° D.P. 2nd Mar. (Ind.)

Buck 14 in. dia. bears 100 E. 27 links dist; and a
B. Walnut 9" " " N 20 W. 53 " "

		On a true line on the South Boundary of Sec. 33. T. N° 13. N.R. N° 2 N.
40.00		Set the temporary post on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Sugar 24 in. dia. bears N 29 W. 17 links dist; &a 10" " " S 33 E. 27 "
80.00		Set a post (temporary) on the true line for the cor. of Sec. 33. & 34. T. N° 13. N.R. N° 2 N. from which a Buck 24 in. dia bears N 64 E. 12 links dist; and a B. Walnut 12" " " N 71 W. 31 " "
		On a true line on the South Boundary of Sec. 34. T. N° 12 N.R. N° 2 N.
40.00		Set the temp. post on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Buck 24 in. dia. bears N 81 W. 23 links dist; and a B. Walnut 9" " " S 81 E. 39 " "
80.00		Set a post (temporary) on the true line for the cor. to Sec. 34. & 35. T. N° 12. N.R. N° 2 N. from which a Hickory 24 in. dia bears N 44 W. 9 links dist; and a Buck 12" " " S 64 E. 16 " "

		On a true line on the South Boundary of Sec. 35. T. N° 12 N.R. N° 2 N. 2 nd Mar.
40.00		Set the half mile post (temporary) on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Sugar 12 in. dia. bears S 75 E. 11 links dist; and a Buck 18" " " N 65 E. 21 " "
80.00		Set the temporary post on the true line for the cor. to the $\frac{1}{4}$ sec. 35 & 36. T. N° 12. N.R. N° 2 N. from which a

T. N^o. 11. N.R. R^o. 3 W. 2nd Mer. Ind^a

Beech 18 in. dia. bears S64 E. 28 links dist; and a
Loc 18 " " N35 W. 14 " "

East On a true line on the South Boundary of Se. 36. S.
R. 12. T.R. R^o 2 W.

40.00 Set the temporary $\frac{1}{4}$ mile post on the true line for the cor.
to the $\frac{1}{4}$ sec. from which a

Beech 10 in. dia. bears S72 W. 21 links dist; and an
Elm 5 " " N38 E. 50 "

80.00 Intercepted the N.E. Range line at the post set for
the cor. of Sec. 1. C. 31. R^o 136. T. N^o. 11. 11. & 12. 12. R^o
152 W. and set a post from which a
Hickory 18 in. dia. bears N66 E. 24 links dist; and a
Sassafras 30 " " S76 W. 44 "

Surveyed by William Harris L.S.

West Boundary

B. 175

North On the East Boundary of Se. 36. T. N^o. 11. N.R. R^o 3 W.

21.00 To a Brook 50 links mid; course S.W.

40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
Huckleberry 7 in. dia. bears S1 E. 31 links dist; and an
Elm 14 " " S49 W. 29 " "

80.00 Set a post for the cor. of Sec. 25 & 36 T. N^o. 11. N.R. R^o 3 W.
from which a Walnut 20 in. dia. bears W39 W. 20 links dist,
and a W. Oak 30 " " S77 E. 1 " "
Sand, rich bottom, timber sugar, ash, Walnut &c

North On the East Boundary of Se. 25 T. N^o. 11. N.R. R^o 3 W.

40.00 Set a post for the cor. of the $\frac{1}{4}$ sec. from which a
Sugn 14 in. dia. bears S81 E. 40 links dist; and a
Loc 16 " " N86 W. 12 " "

59.12 Intercepted the N.E. Boundary of Harrison's Purchase
and set a post for the cor. of Sec. 25. T. N^o. 11. N.R. R^o 3 W. from which

403

S. N. 11. N. R. N. 2 M. 2nd Mer. Ind.

Beech 14 in. dia. bears S34 W. 40 links dist; and a
Llo 20 " " N53 E. 30 "

Surveyed by

James Holmes. D.S.

North	Continued the East Boundary of Sec. 25. I. N. 11. N. R. N. 3 M. 2nd Mer.	8.6.20'	Q. 25
20.28	Set a post for the cor. of sec. 24 & 25, I. N. 11. N. R. N. 3 M. 2nd Mer. which a Sugar 14 in dia stands for the corner. Sandwich made good for farming;		
North	On the East Boundary of Sec. 24. I. N. 11. N. R. N. 3 M.		
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beech 6 in dia bears S73 E. 14 links dist; and a Llo 30 " " S88 W. 33 "		
80.00	Set a post for the cor. of sec. 13 & 24 I. N. 11. N. R. N. 3 M. 2nd Mer. which a Sugar 11 in dia bears N79 E. 17 links dist; & Sugar 30 " " S2 W. 34 "		
North	On the East Boundary of Sec. 13 & I. N. 11. N. R. N. 3 M.		
19.00	To a Brook 12 fms mid; Course N.		
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beech - in. dia. bears S12 E. 13 links dist; & Llo 12 " " N65 E. 46 "		
80.00	Set a post for the cor. of sec. 12 & 13 from which a Beech 27 in. dia bears S21 E. 30 links dist; and a Llo 18 " " N4 E. 30 "		
North	On the East Boundary of Sec. 12 I. N. 11. N. R. N. 3 M.		
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a		

J. N. H. R. No. 277. 2nd Mer. Ind.

	Sugar 27 in. dia bears S31 E. 11 links dist; and a W. Walnut 8, " " N67 N. 5 " "
73.50	To a small Brook - links wide; course E.
80.00	Set a post for the cor. of Sect. 11 & T. 11 N.R. 377 from which a Beech 20 in dia bears N10. W. 25 links dist and a Llo. 27, " " S28. 18, "
	Sand soil and timber same as on the last mile.

	North On the East Boundary of Sec. 1. T. N. 11. N. R. 377.
40.00	Set a post for the cor. to the 1/4 sec. from which a Beech 24 in. dia bears S33 E. 23 links dist; and a Llo. 24, " " S54 N. 10 " "
71.23	To the Township corner. Land similar to the last mile.
	Surveyed by William Harris A.S.

Subdivisions

East	Between Sec. 30 & 31. T. N. 11. N. R. N. 277.
12.50	To a Brook 8 links wide; course S.
40.00	Set a post further cor. to the 1/4 sec. from which a Sugar. 12 in. dia. bears S30 E. 9 links dist; and a Llo. 12, " " N37 N. 9 "
79.76	Intersected the N.C. Boundary line of Harrison's Purchase and set a post for the cor. of fractional Sec. 30 & 31 from which a Sugar 8 in. dia bears S29 N. 16 links dist; and a Llo. 10, " " N6 E. 17 " " Land rolling or rather broken with sink holes, very nice soil. Elm, Beech, Sugar, Walnut, Poplar; very good farming lands;

North Between Sec. 31 & 32 T. N. 11. N. R. N. 277

405

I No. II. N.R. No. off yards Mar. (Ind.)

7.00	To a small spring branch tree 8 ft.
40.00	Set a post for the cor. to the 1/4 sec. from which a Huckleberry 12 in. dia bears 821 ft. 7 links dist; and a Buck 9 " " N 6 E. 10 "
79.20	Intersects the N.E. Boundary Line of Harrison's Purchase and set a post for the cor. of frac. Sections 31. & 32. from which a Sugar 12 in. dia bears 842 ft. 23 links dist; and a Do. 12 " " N 5 E. 9 "
	Sand & slate soil and good for farming

frac. line between 32. & 33. meeting

North	Between frac. Sec. 31.13D T. N. II. N.R. No. 277.
79.20	Old survey; extended the line from the N.E. Boundary of Harrison's Purchase.
80.00	Set a post for the cor. of Sec. 29.30.31.13D from which a Buck 14 in. dia bears N 61 E. 34 links dist; and a Sugar 12 " " N 47 W. 22 " " Sand & slate soil; timber Sugar and Spice.

West	On a random line between Sec. 30.131. T. N. II. N.R. 277.
8.24	Intersects the N.W. Boundary at a post. Sand & slate.

North	Between Sec. 29 & 30. T. N. II. N.R. No. 277.
19.06	To a Buck 18 in. dia stands in the line.
40.00	Set a post for the cor. to the 1/4 sec. from which an Elm 5 in. dia bears N 69 W. 19 links dist; and a

I. No. 11. N.R. No. 277 2nd. Mus. Ind.

	Ash 14 in. dia bears N 72 E. 10 links dist; To a Beech 17 in. dia. Stands in the line.
60.54	To a Brook 146 links wide; Course S.E.
64.75	Cut a bend of same stream
69.00	Set a post for the cor. of sec. 19. 20. 29. 130 from which a Buck 24 in. dia bears N 20 E. 35 links dist; and an Elm 30 " " \$80. 77. 28 " "
80.00	Sand part level and part broken. 2nd rate. Timber Sugar, Walnut, Buck, Hickory, Ash, &c. undergrowth Spice. etc.

West	On a Random line between Sec. 19. & 30. I. No. 11. N.R. No. 277. To a Brook 35 links wide; Course S.E.
7.35	Set a temporary post for the cor. to the 1/4 sec.
10.00	Set a temporary post for the cor. of sec. 24 & 25. I. No. 11. N.R. No. 377. Sand broken and 2nd rate; Timber, Sugar, Elm. Sassafras, Ash, Buck &c. Undergrowth Spice

East	On a true line between Sec. 19. & 30. I. No. 11. N.R. No. 277. To a Sugar 18 in. dia stands in the line.
15.70	Set the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which an Ash 16 in. dia bears \$32. 77. 9 links dist; and a Coffeetree 8" " N 45 W. 25 " "
39.89	To a Sugar 8 in. dia. Stands in the line
57.63	To the post set for the cor. to Sec. 19. 20. 29. & 30.

North	Between Sec. 19. & 20. I. No. 11. N.R. No. 277.
21.78	To a Buck 18 in. dia. Stands in the line
40.00	Set a post for the cor. to 1/4 sec. from which a Sugar 8 in. dia bears N 34 W. 6 links dist; and a Walnut 12" " N 19 E. 11 " "

I. N. H. N. R. No 077 2nd Mar. Ind. 407

42.50	To a Stream 20 links wide; Course S. S. W.
57.50	To a Brook 10 " " " S.E.
57.90	To an Elm 14 in dia. Stands in the line
80.00	Set a post for the cor. of sec. 17. 18. 19. & 20. from which a Buck 12 in. dia. bears N 60° W. 8 links dist; and a Sugar 14 " " N 60° E. 10 " "
	Sands broken 2nd rate; Timber Beech, Sugar & Undergrowth Spice Birch etc.
West	On a Random line between Sec. 18. 19. & 11. N.R. N. 2 W.
5.75	To a Brook 6 links wide, Course S. E.
40.00	Set a temporary post for the cor. to the 1/4 sec.
80.00	Intersected the West Boundary 15 links South of the post set for the cor. of sec. 13. & 24. I. N. H. N. R. N. 3 W. Sands broken 2nd rate; Timber Sugar Walnut, Ash Beech, Elm &c. undergrowth. Spices.
East	On the true line between Sec. 18 & 19. I. N. H. N. R. N. 2 W.
21.06	To a Poplar 56 in. dia. Stands in the line.
40.03	At the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which a Walnut 10 in. dia bears N 63° E. 9 links distant to a Hick 96 " " S 38° E. 18 " "
60.91	To an Elm 10 in. dia Stands in the line.
80.06	To the post set for the cor. to sec. 17. 18. 19. & 20.
North	Between Sec. 17. 18 & 11. N. R. N. 2 W.
20.32	To a Buck 22 in. dia Stands in the line
40.00	Set a post for the cor. to the 1/4 sec. from which a Buck 6 in. dia bears N 16° W. 14 links dist; and a Dog 14 " " S 84° E. 18 " "
66.05	To a Sugar 24 in. dia Stands in the line
80.00	Set a post for the cor. to sec. 7. 8. 17. & 18 from which a

Conn

J. N. 11. N. R. N. D. W. 2nd Mer Ind.

Sugars 10 in. dia. bears N 43° W. 28 links dist; and a
Beech 20 " " . 835° 45 " "
Sand broken and 2nd rate; Timber Sugar, Beech, Walnut,
Ash, Poplar, &c; undergrowth Ash & Spice

West	On a Random line Between Sec. 7 & 18 J. N. 11. N. R. N. D. W. Set a temporary post for the cor. to $\frac{1}{4}$ sec.
40.00	Intersected the West Boundary 9 links South of the post set for the cor. of sec. 12 & 13. J. N. 11. N. R. N. D. W. Sand broken and 2 nd rate; Timber Sugar, Beech, Ash, Walnut, &c; undergrowth Spice Pawpaw &c
80.28	
East	On a true line between Sec. 7 & 18 J. N. 11. N. R. N. D. W. To a Poplar 70 in. diam. Stands in the line
24.46	Set the temporary post at the avar. dist; on the true line from the cor. to the $\frac{1}{4}$ sec. from which a
40.14	Beech 12 in. dia. bears N 14° W. 18 links dist; and a No. 19 " " . 878° 17 " "
64.56	To a sugar 20 in. dia. Stands in the line.
80.28	To the post set for the Sec. 7 & 18. Nov. 19 th 1819

North	Between Sec. 7 & 18 J. N. 11. N. R. N. D. W. To a Brook 10 miles wide; course S. S. E.
17.05	To a sugar 26 in. dia. Stands in the line
20.44	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
40.08	Beech 23 in. diam. bears N 30° E. 14 links dist; and a No. 16 " " . N 67° W. 17 " "
55.11	To a Hackberry 25 in. diam. Stands in the line
80.00	Set a post for the cor. to Sec. 5, 6, 7 & 8. from which a Beech 20 in. diam. bears N 50° E. 17 links dist; to a Sugar 30 " " . N 86° W. 54 " " Sand broken and 2 nd rate; Timber Sugar, Walnut, Ash, Hackberry, Beech, &c; undergrowth Spice, Ash, Poplar, &c

I. N. II. A.R. No. 9 off 2nd Mar. (Ind.)

West	On a Random line between Sec. 6 & 7 T. N. II. A.R. N. 277. Set a temporary post for the cor. to the $\frac{1}{4}$ sec.
40.00	To a Beech 8 miles west; bears S.S.E.
57.80	Intersection the West Boundary 86 miles south of the post set for the cor. of sec. 1 of T. I. N. II. A.R. N. 377. Soil broken and 2 nd rate; Timber Beech. Poplar Ash and Sugar. to undergrowth Spiney.
80.44	
East	On the true line between Sec. 6 & 7 T. N. II. A.R. N. 277.
16.97	To a Beech 20 in. dia. stands in the line.
110.82	Set the temporary post at the aver. dist.; on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears S. 41° E. 28 miles dist.; and No. 20. " " 14° 47' N. 14 " "
62.69	To a Beech 26 in. dia. stands in the line.
80.44	To the post set for the cor. of sec. 5. C. 708.
North	Between Sec. 5 & 6. T. N. II. A.R. N. 277.
22.83	To a Sugar. 16 in. dia. stands in the line.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Sugar 10 in. dia. bears N. 55° E. 15 miles dist; and a Beech 28. " " S. 16° N. 43 " "
50.01	To a Sugar 19 in. dia. stands in the line.
71.77	Intersect the N Boundary 7. 00 ch. East of the post set for the cor. of sec. 31. 130. T. N. 12. A.R. N. 277. and set a post for the cor. of sec. 5 & 6 from which a Beech 20 in. dia. bears N. 57° 50' miles dist; to No. 21. " " S. 53° E. 61 " "
	Soil broken and 2 nd rate; Timber Beech Ash, Walnut & Undergrowth spiney
North	Between Sec. 32 & 33. T. N. II. A.R. N. 277. Set a post on the N.E. Boundary of Harrison's

T. N. H. H. R. N. 3 W. 2nd Mer. Ind.

- Purchase where imaginary line intersects the same
from which a Buckeye 18 in. dia. bears N 55° E. 12 links
dist; and a Whitethorn 4, " " N 29° W. 16,
Length of imaginary line.
30.06 To a sugar 14 in. dia. stands on the line.
40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
Hawthorn 16 in. dia. bears S 66° E. 22 links dist, to
Do. 20, " " N 66° W. 58 "
70.09 Set a post on the Left Bank of White River for the
cor. to the fract. sec. 32. 133. from which a
Cottonwood 16 in. dia. bears S 60° E. 25 links dist; & a
Do. 6, " " S 71° W. 44, "
75.30 Set a post on the R. Bank of White River for the
cor to fractional sec. 32. 133. from which a
Mulberry 20 in. dia. bears N 42° W. 14 links dist; to
Walnut 14, " " N 19° E. 17, "
Nov. 21 1819
80.10 Set a post for the cor. of sec. 28. 29. 32. 133. from which
a Whitethorn 6 in. dia. bears S 33° E. 14 links dist; & a
Hawthorn 4, " " N 38° W. 22, "
Same land and 1st rate; Linden Walnut, Hack-
berry, Buckeye & Sycamore. and 2nd Spic, Elder &c.

- West On a Random line between Sec. 29 & 32 T. N. H. H. R. 2nd
- 24.10 To the R. Bank of White River
29.05 " " Left " " " "
34.00 " " " " " again
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. on River bank
40.62 To the R. Bank of White River.
43.48 To a Brook 40 links wide, come S. S. E.
82.58 Intersected the N 18 line 39 links South of the first
Set for the cor. of sec. 29. 30. 31. 132. Land part land
and part Broken 2nd rate; Linden Walnut,

I. N. H. S. P. N. G. H. 2nd Mar. (Ind.)

Hackberry, Buckeye, Cinnamon, Box Elder, Sycamore
Hickory and Beech and 3rd Spicet Boxelder so

- | | |
|-------|---|
| East | On a true line between Sec. 29 & 32. T. 10 N. R. 2 W.
Is a sugar 16 in. dia. Stands in the line. |
| 23.74 | Set the temp. 1 post at the ave. dist. on the true line
for the cor. to the 1/4 sec. from which an
Elm 8 in. dia. bears N 21 E. 30 links dist; and a
Box Elder 14 " " S 63 W. 22 " " |
| 41.29 | Set a post on the RT Bank of W. River for the cor. to
frac. Sections 29 & 32 from which an
Elm 18 in. dia. bears N 22 E. 50 links dist; and a
Do 16 " " S 17 W. 64 " " |
| 42.96 | Set a post on the Left Bank of W. River on the true
line for the cor. to the frac. Sec. 29 & 32. from which a
Cottonwood 4 in. dia. bears N 58 E. 10 links dist; and a
Do 6 " " S 22 E. 12 " " |
| 48.58 | Set a post on the left Bank of W. River on the true
line for the cor. to the frac. Sec. 29 & 32 from which a
Walnut 6 in. dia. bears N 16 W. 9 links dist; and a
Ash 4 " " S 44 E. 19 " " |
| 58.43 | Set a post on the RT Bank of White River for the cor. to frac.
Sections 29 & 32 from which a
Walnut 20 in. dia. bears S 83 E. 41 links dist; and a
Do 20 " " N 61 W. 42 " " |
| 82.58 | To the post set for the cor. to Sec. 28, 29, 32 & 33. |

- | | |
|-------|--|
| North | Between Sec. 28 & 29 T. 10 N. R. 2 W.
Is a Hickory 16 in. dia. Stands in the line. |
| 20.29 | Set a post for the cor. to the 1/4 sec. from which a
Beech 14 in. dia. bears N 13 E. 18 links dist; and a
Do 16 " " S 15 W. 30 " " |
| 40.00 | To a Red Oak 20 in. dia. Stands in the line. |
| 66.50 | |

T. N° 11. N.R. N° 2 off 2nd Mer. Ind.

72.06	To a Brook 15 miles mid; Course N. E. W.
80.00	Set a post for the cor. of sec. 20. 21. 28. & 29. from which a Hickory 12 in. dia bears \$26 77. 11 miles dist; and a Ash 18 " " . \$34 E. 14 " "
	Sand locl of 2 nd rate; Timber Wt R. Oak Buck, Sugr, Ash &c. and a Spruce Hazel 10
 West	 On a Random line between Sect. 20. & 29 T. N° 11. N.R. 2 nd .
40.00	Set a temporary post for the cor. to the 1/4 sec.
51.54	To a Brook 6 miles mid; Course S. S. W.
82.65	Interspersed the NW line 10 miles N. of the post set for the cor. of sec. 19. 20. 29 & 30. Sand Bro R. 12 th rate Timber Buck, Wt Oak, Sugr, ash &c. Wt Sprue, Ash &c.
 East	 On a true line between Sect. 20. & 29 T. N° 11. N.R. 2 nd .
21.01	To a Brook 14 in. dia stands on the line.
41.33	Set the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which a Buck 18 in. dia bears \$34 E. 15 miles dist;
64.05	To a Brook 20 in. dia stands on the line
82.65	To the post set for the cor. of sec. 20. 21. 28. & 29.
 North	 Between Sect. 20. & 21. T. N° 11. N.R. N° 2 nd .
23.65	To an Elm 20 in. dia. stands on the line.
29.60	" a Brook 5 miles mid; Course E. S. E.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugr 20 in dia bears \$75 977. 5 miles dist; and a Do 14 " " . \$76 E. 10 " "
60.14	To a Sugr 24 in. dia. stands on the line.
80.00	Set a post for the cor. to Sec. 16. 17. 20. & 21. from which a Sugr 16 in. dia bears \$72 77. 14 miles dist; and a Do 20 " " . \$68 E. 16 " "
	Sand Bro R. 12 th rate; Timber Buck, Sugr, ash &c.

413

P. No. 11. N.R. No. 2 W. 2nd Mer. And a,

Walnut to underlyth Spie &c

West	On a Random line between Sec. 17. 18. 19. N.R. No. 2 W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
47.07	To a Brook 10 miles east; Course S.
60.47	" " " 6. " " S. E.
82.50	Intersected the N.R. line 14 miles North of the post set for the cor. of sec. 17. 18. 19. & 20. To a broken and 2 nd rate; Timber Sugar, Wal- nut, Ash, &c. Underlyth Spie &c.
East	On a line between Sec. 17. 18. 19. I. No. 11. N.R. No. 2 W.
19.80	To a Buck 24 in. dia. Stands in the line.
41.25	Set the temporary post at the over. dist on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Buck 22 in. dia bears N48 E. 29 miles dist; to a 20. " " N28 E. 12. "
54.17	To a sugar 14 in. dia. Stands in the line
82.50	To the post set for the cor. of sec. 16. 17. 20. & 21.
North	Between Sec. 16. & 17. I. No. 11. N.R. No. 2 W.
19.48	To a sugar 20 in. dia. Stands in the line.
40.00	Set a post for the cor. of the $\frac{1}{4}$ sec. from which a Buck 22 in. dia bears N31 W. 28 miles dist; to a 30. " " S67 E. 16. " "
61.85	To a Walnut 14 in. dia. Stands in the line
71.07	" " Brook 15 miles west, Course S. E. 10°
80.00	Set a post for the cor. of sec. 8. 9. 16. & 17. from which a Chestnut 40 in. dia bears N32 W. 14 miles dist; to a Buck 13. " " S64 E. 19. "
	Under part lost and part broken; Timber Su- gar, Buck, Ash, Chestnut, &c Underlyth Spie &c. Nov. 21 st 18.19.

T. N. 11. M.R. N. 277. 2nd Mer. And.

West	On a Random line between Sec. 8 & 17 T. N. 11. M.R. N. 277.
3.64	To a Brook 15 miles wide; Course S. E.
30.68	" " " 8 " " S.E.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
76.00	To a Brook 10 miles wide; Course S. E.
82.46	Intersected the N. S. line 19 miles S. of the post set for the cor. of Sec. 7, 8, 17, 18. Lands broken & 2 nd rate; Timber Sugar, ash, Poplar, Birch & all kinds
East	On a true line between Sec. 8, 8 & 17 T. N. 11. M.R. N. 277.
22.54	To a Sugar 21 in. dia. Stands in the line
41.23	Set the temporary post at the aver. distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Poplar 15 in. dia. bears S 76° W. 11 miles dist; to a Elm 5 " " N 89° E. 10 " "
60.56	To a Spanish Oak 20 in. dia. Stands in the line
82.46	To the post set for the cor. of Sec. 8, 9, 16 & 17.
North	Between Sec. 8 & 9 T. N. 11. M.R. N. 277.
24.31	To a Birch 21 in. dia. Stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Sugar 19 in. dia. bears S 83° W. 15 miles dist; to a Hick 13 " " S 45° E. 18 " "
59.12	To a Sp. Oak 23 in. dia. Stands in the line.
80.00	Set a post for the cor. of Sec 4, 5, 8 & 9. from which a Sugar 4 in. dia. Stands S 61° W. 4 miles dist; to ash 28, " " S 84° E. 9 " " Lands broken 2 nd rate; Timber Birch, Sugar ash &c. Huckleberry, Spice honeysuckles, Dogwood &c.
West	On a Random line between Sec. 5 & 8 T. N. 11. M.R. N. 277.
22.00	To a Brook 12 miles wide; Course S. E.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.

I. N. H. N. R. No D. W. 2nd Mer. Ind.

82.56	Intersected the N & S line 8 miles S. of the post cut for the cor. of sec. 5. 6. 7 & 8. Land broken & 2 nd rate; timber Sugar Beech, Elm, Walnut, &c U. G. Spic. Ash, & Pawpaw &c.
East	On a true line between Sec. 5 & 8. I. N. H. N. R. No 277. To a Beech 28 in. dia. Stands in the line.
19.06	Set the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which a Beech 32 in. dia bears S 43 E. 13 miles distant. Soo Hickory 15, " " Nov 11. " "
41.28	Set the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which a Beech 32 in. dia bears S 43 E. 13 miles distant. Soo Hickory 15, " " Nov 11. " "
59.94	To a Beech 18 in. dia. Stands in the line
82.56	To the post cut for the cor. of sec. 4. 5. 8 & 9
North	Between Sec. 4 & 5 I. N. H. N. R. No 277. To a Beech. 22 in. dia. Stands in the line
27.92	Cuts a Windfall
28.90	Set a post for the cor. of the 1/4 sec. from which a Hickory 2 1/2 in. dia. bears N 74 W. 17 miles dist; soo 2 1/2 " " \$22 E. 7 " "
40.00	Left the Windfall
52.00	To a Beech 17 in. dia. Stands in the line.
62.27	Intersected the N. Boundary 9.75 ch. East of the post cut for the cor. of sec. 32 & 33. I. N. H. N. R. No 277. and set a post for the cor. of sec. 4 & 5. from which a Beech 14 in. dia bears S 23 W. 46 miles dist and a Beech 3 " " \$33 E. 28 " " Land broken and 2 nd rate; timber Beech, ash, Sugar, Hickory, & m.d. Spic. ash, Hickory & birch Nov. 22 nd 1819.
North	Between Sec. 33 & 34 I. N. H. N. R. No 277.
13.06	To a Brook Chinkomie; Course N. 47°

S.P. II. N.R. No. 277. 2nd Mer. Ind.

20.87	To an Ash 14 in. dia. Stands in the line.
29.70	Set a post on the left Bank of White River for the cor. to fract. Sec. 33. & 34. from which a Poplar 19 in. dia. Stands N61W.3 mts dist; & a Red Bud 4,, " S29 E. 9,, "
35.03	Set a post on the RT Bank of White River for the cor. to fract. Sec. 33. & 34. from which a Sycamore 16 in dia. bears N61W.11 mts dist; and a Mulberry 6,, " " N35 E. 21,, "
40.00	Set a post for the cor. of 1/4 ac. from which a Huckleberry 26 in. dia. bears N43W.10 mts dist; & a Sugar 14,, " " S19 E. 8,, "
58.12	To a Locust 24 in. dia. Stands in the line.
80.00	Set a post on the cor. of sec. 27. 28. 33. & 34. from which a Huckleberry 16 in dia. bears N17 E. 27 mts dist; and a Wickory 12,, " " S21 W. 25,, " Lands P.M. 1/4 mile from 3rd rate; Last P. land P.M. rate land. Timber W. Oak. Beech. Hickory &c. Walnut Huckleberry Sugar. Buckeye. Hickory &c under goth. Spice. Hickory and Pawpaw &c.

West

40.01	On a Random line between Sec. 28. & 33.
71.93	Set a temporary post. for the cor. of 1/4 ac.
	Intersected the N & S line 10 mts S. of the post set in the cor. of sec. 28. 29. 32 & 33.

Lands hard and P.M. rate; Timber Walnut Huckleberry and Locust, Ash, Sugar Sycamore &c
W.J. Spice and Pawpaw.

East

10.41	On a true line between Sec. 28. & 33. S. N. II. N.R. N.W.
35.96	To a Hickory 22 in. dia. Stands in the line Set the temporary post at the average distance on the true line for the cor. of 1/4 ac. from which a

I. N. II. M.R. No 277. 2nd Mer. (Ind.)

	Hornbeam 6 in. dia. Stands S42 E. 10 miles dist; to Hickory 15 " " N63 E. 12 " "
51.93	To a Shell bark Hickory 22 in. dia? Stands in the bri.
71.93	To the post set for the cor. of sec. 27. 28. 33. 134.
North	Between Sec. 27. 128. I. N. II. M.R. No 277. To a Beech 16 in. dia. Stands in the bri.
20.97	Set a post for the cor. to 1/4 sec. from which a Hornbeam 4 in. dia? Stands N65 W. 13 miles dist; to Beech 1 18 " " N42 E. 18 " "
40.05	To a Blackberry 24 in. dia. Stands in the bri.
68.18	Set a post for the cor. of sec. 21. 22. 27. 128. From which a Hickory 16 in. dia? Stands N10 W. 10 miles dist; to Maple 18 " " S7 E. 12 " .
80.00	Sand part 1 st rate and part 2 nd rate; timber Beech, Sugar, Oak, Walnut, Maple, Blackberry to. W. J. Spiv., Ash, Pawpaw, ash, Birns etc.
West	On a Random line between Sec. 21. 128. I. N. II. M.R. No 277. Set a temporary post for the cor. of the 1/4 sec.
40.05	To a Brook 12 miles west, corner S. S. W.
69.70	Entered on the A.S. line 16 miles N. of the Post set for the cor. of sec. 20. 21. 28. & 29. Sand part hard and part broken 2 nd rate and part 3 rd rate. Timber W. Oak, Ash, Beech, Walnut, Hickory etc. W. J. Spiv., Ash, Pawpaw, Hazel, Birns etc
East	On a true line between Sec. 21. 128. I. N. II. M.R. No 277
25.50	To a Beech 16 in. dia. Stands in the bri.
36.05	Set the temporary Post at the aver. dist on the true line for the cor. to the 1/4 sec. from which a Sugar 4 in. dia. Stands S25 E. 5 miles dist; to Beech 17 " " N13 E. 21. " .

S. N^o 11. S.R. N^o 9 W. 2nd Mer. Ind.

55.45 To a Hickory 15 in dia. Stands on the line
12.00 To the post set for the cor. of sec. 21. 22. 27. 128.

Rock Between Sec. 21. 128. S. N^o 11. S.R. N^o 277.
30.60 To a Walnut 14 in. dia. Stands on the line
Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
Beech 18 in. dia. bears S 49° W. 11 marks dash; & a
W. Oak 16" " " S 35° E. 26" "
63.65 To a Brook 6 marks wide; Course S. 97°
64.80 To a Hickory 16 in. dia. Stands on the line
Set a post for the cor. of sec. 15. 16. 21. 522, from which a
Hickory 10 in. dia. bears S 23° W. 47 marks dash; & a
Beech 14" " " S 8° E. 18" "
Lands 1st $\frac{1}{2}$ mile N^o 1 rate; 2nd $\frac{1}{2}$ mile Broken
3rd rate; Timber Walnut, Hackberry, Sugar
Beech, W. Oak, Hickory, W. J. Spice, Hazle,
Dogwood & Birches.

West On a Random line between Sec. 10 & 21. S. N^o 11. S.R. 277.
40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
62.15 To a Brook 10 marks wide; Course S. 97°
72.20 Intersected the S. 18° line 15 marks N. of the post set for the
cor. of sec. 16. 17. 20. 121. Lands broken 2nd / 3rd rate land
Timber. Beech, W. Oak, Hickory, Walnut, &c. W. J. Spice
Hazle, cassafas. Dogwood. Surveyed Dec. 18 1819

East On a true line between Sec. 16 & 21. S. N^o 11. S.R. N^o 277.
17.80 To a Walnut 12 in. dia. Stands on the line
Set the temporary post at the cor. distance on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Beech 18 in. dia. bears S 81° W. 14 marks dash; & a
Loc 14" " " N 33° W. 83" "
49.56 To a Beech 20 in. dia. Stands on the line.

P. N° 11. N.P. N° 2 M. 2nd Mer. Ind.

72.20	To the post set for the cor. of Sept. 16. 17. 20. & 21
North 19.70 40.00 61.68 80.00	Between Sect. 15 & 16. T. N° 11. N.P. N° 2 M. To a Sp. Oak 29 in. dia. Stands in the line. Set a post for the cor. of $\frac{1}{4}$ sec. from which a Dogwood 3 in. dia. bears S80° W. 7 mtrs dist; & a Beech 3" " " N59° E. 8" " To a Hickory 26 in. dia. Stands in the line Set a post for the cor. to Sect. 9. 10. 15. & 16. from which a Beech 4 in. dia. bears S47° E. 19 mtrs dist; and a Sugar 5" " " N17° W. 14" " Sand broken 2 nd & 3 rd rate; Limb. N. Oak, Beech Sugar, Poplar, &c. M.G. Spruce, Ironwood, Dogwood, & Birch &c.
West 40.00 61.50 72.65	On a Random line between Sect. 9 & 16. T. N° 11. N.P. N° 2 M. Set a temporary post for the cor. to the $\frac{1}{4}$ sec. To a Brook 6 inches wide; Cornice S. S. P. Intersected the N. & S line 19 mtrs N. of the post set for the cor. of Sect. 8. 9. 15 & 17. Sand broken 2 nd & 3 rd rate; Limb. N. Oak, Beech, Poplar, & Sugar, Huckleberry &c. M.G. Spruce Ironwood Basswood &c.
East 12.09 36.32 45.00 72.05	On a true line between Sect. 9 & 16. T. N° 11. N.P. N° 2 M. To a Sugar 18 in. dia. Stands in the line. Set the temporary post at the aver. dist. on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Sugar 18 in. dia. bears S23° W. 23 mtrs dist; and a Beech 13" " " N61° E. 17" " To a sugar 23 in. dia. Stands in the line. To the post set for the cor. to Sect. 9. 10. 15 & 16.
North	Between Sect. 9 & 10. T. N° 11. N.P. N° 2 M.

T. N. H. N. R. S. I. W. 2nd Mer Ind.

22.15	To a Beech 18 in. dia. stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Hickory 15 in. dia. bears N. 54° E. 21 links dist; & a Beech 6 " " " \$69 E. 13 "
66.08	To a Sugar 20 in. dia. stands in the line
80.00	Set a post for the cor. of sec. 3. 4. 9. & 10 from which a Sugar. 15 in. dia bears N. 22° E. 25 links dist; & a No. 20 " " " \$27. 47. 28 "
	Sand & Broken 2 nd of 3 rd rate; Timber Beech W. Oak Sp. Oak. Hickory, Sugar &c. M. J. Spice, Immort. H. Log woods Cassafri. Pinus &c

West	On a Random line between Sec. 4 & 9. T. N. H. N. R. N. D. N.
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ sec.
72.46	Intersected the N. 85° line at the post set for the cor. of sec. 4. 5. 8 & 9 Sand & bent wood 2 nd rate; & part Broken 3 rd rate; Timber Beech, Sugar-tree Poplar, Ash, &c. Meadowth. Elm Ash &c.

East	On a true line between Sect. 4 & 9. T. N. H. N. R. N. D. N.
20.09	To a Beech 21 in. dia. stands in the line
36.23	Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears N. 67° E. 27 links dist; & a No. 21, " " " \$59. 11. 29 "
48.90	To a Beech 16 in. dia stands in the line.
72.46	To the post set for the cor. of sect. 3. 4. 9. & 10.

North	Between Sect. 3 & 4. T. N. H. N. R. N. D. N.
2.10	To a Brook 10 links wide; course S. S. E.
14.78	To a W. Oak 57 in. dia stands in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beech 15 in. dia. bears N. 71° E. 13 links dist; and a

T. N^o 11. N.R. R^o 27th 2nd Mer. Ind.

	Bush 14 mi. dia bears N 71 ^W . 13 links dist; 1 to a Brook 10 miles aside; course S. S. W.
46.25	To a Bush 23 mi. dia. stands in the line
59.93	Indicated the N Boundary 3.93 ch. East of the post set for the cor. of sec. 33.134. T. N ^o 12. N.R. R ^o 27 th . & set a post for the cor. of sec. 34. From which a Bush 22 mi. dia bears S 73 ^E . 5 links dist; and a ash 28 " " " S 45 ^W . 42 " "
71.21	Sand part level and part broken 3 rd rate. Lined W. B. Oak, Bush, Sugar, &c. M. J. Dogwood Gumwood Spic. Brins. Nov. 24. 1819.
<hr/>	
North	Between Sec. 34 & 35. T. N ^o 11. N.R. R ^o 27 th .
20.27	To a Hickory 21 mi. dia. bears in the line
40.00	Set a post for the cor. to the 1/4 sec. from which a Poplar 14 mi. dia. bears N 65 ^E . 12 links dist; and a Dogwood 2 " " " S 61 ^W . 24 " "
59.06	To an Ash 24 mi. dia. stands in the line.
72.90	Set a post on the Left Bank of White River for the cor. to fract. Section 34 & 35 from which a Maple 20 mi. dia. bears S 47 ^E . 5 links dist; and a Ho 12 " " " S 25 ^W . 9 " "
76.80	Set a post on the RT Bank of White River for the cor. to fract. Sec. 34 & 35. from which a B. Ash 10 mi. dia. bears N 22 ^E . 20 links dist; & a W. Plum 8 " " " S 46 ^W . 14 " "
80.00	Set a post for the cor. of sec. 26, 27, 34 & 35 from which a Sugar. 20 mi. dia. bears N 29 ^E . 25 links dist; & a B. Walnut 24 " " " S 24 ^E . 16 " "
	Sands part level and part broken 2 nd & 3 rd rate. land. Lined Sugar Bush, Poplar, Ash, Walnut, Ash, W. Oak, &c. Undergrowth Spic. Ash &c

P. R. I. N. P. R. No. 277 2nd Mer. (Ima)

West On a Random line between Sec. 27, 134. I. R. I. N. P. R. No. 277
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.60 Interscet the N. & S. line 15 miles North of the post
 set for the cor. of sec. 27, 28, 33, 134
 Sand hill and forest rate; Timber Walnut Hackberry
 Locust Sugar Buckeye &c U. G. Spic. Pawpaw.

East On a true line between Sec. 27, 134. I. R. I. N. P. R. No. 277
 26.05 To a Hackberry 14 in. dia. Stands on the line.
 39.80 Set after temp. post at the aver. dist on the true line
 for the cor. to the $\frac{1}{4}$ sec. from which a
 Buckeye 13 in. dia. bears S 28° W. 4 miles dist; & a
 Hackberry 14" " " N 8° E. 15" "
 57.15 To a Hackberry 22 in. dia. Stands on the line.
 79.60 To the post set for the cor. to Sec. 26, 27, 34, 134

North Between Sec. 26 & 27. I. R. I. N. P. R. No. 277.
 19.35 To a Hickory 14 in. dia. Stands on the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 14 in. dia. bears N 52° E. 20 miles dist; and a
 Hackberry 21" " " N 30° W. 26" "
 64.08 To a Beech 27 in. dia. Stands on the line
 80.00 Set a post for the cor. to Sec. 22, 23, 26, 27 from which
 Sugar 22 in. dia. bears S 85° W. 5 miles dist; and an
 Ash 32" " " S 75° E. 18" "
 Sand hill and forest rate; Timber Walnut Locust,
 Hackberry, Sugar, Buckeye &c. U. G. Spic., Ash 10.

West Between Sec. 22, 23, 27. I. R. I. N. P. R. No. 277
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.64 Interscet the N. & S. line at the post set for the cor. of
 Sec. 21, 22, 28, 134. Sand hill and forest rate; Timber
 & Co. White Walnut Sugar, Buck, Ash, Cherry, Locust

423

T. N^o. 11. N.P. N^o. 277. 2nd Mer. (Ind. a)

to. M. J. Spie, Asst. to.

East 21.50	On a true line between Sect. 22, 127. T. N ^o . 11. N.P. N ^o . 277. To a Cherry 24 in. dia. stands on the line.
39.82	Set the temporary post at the avar. dist. on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Walnut 3 in dia bears N. 49 $^{\circ}$ E. 21 links dist; and a Sugar 25" " H. 47 E. 29 " "
57.54	To a Sugar 6 in. dia stands on the line
79.64	To the post set for the cor. of sect. 22, 23, 26 & 27.

North 20.13	Between Sect. 22, 123. T. N ^o . 11. N.P. N ^o . 277. To a Sugar 17 in. dia. stands on the line.
21.20	Cut the Banks of a Stream 14 links wide; from N.E. to S.E.
25.56	To the same stream - " " " same A.C.
40.00	Set apart for the cor. to the $\frac{1}{4}$ sec. from which a Huckleberry 17 in. dia. bears N. 20 E. 11 links dist; to do 14 " " " H. 62 N. 28 " "
45.00	To the same stream - links wide; course S.W.
48.44	" " " " " " " " " " S.E.
65.00	" " " " " " " " " " S.W.
66.44	" " " " " " " " " " S.E.
70.40	" " " " " " " " " " S.S.W.
76.60	" " " " " " " " " " S.E.
80.00	Set apart for the cor. to Sect. 14, 15, 22, 123 from which A. Walnut 6 in. dia bears N. 31 E. 29 links dist; to Butternut 7. " " " H. 86 N. 19 " " Same level first rate; Timber Walnut Huckleberry Buckeye, Sugar &c. M.J. Spie Pawpaw &c. Nov. 25. 1819.

West 40	On a Random line between Sect. 15, 22. T. N ^o . 11. N.P. N ^o . 277. To a stream 12 links wide; course. —
------------	---

T.R. II. N.R. No 277. 2nd Mar. End.

	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
40.00	Interspersed the E. & S. line 27 links North of the post set for the cor. of Sec. 15, 16, 21, 22.
79.76	Sand Broken 2 nd & 3 rd rate; Timber W.T.B. Oak, Hick- ory, Beech &c. W. Dogwood, Juniper, Passiflora, Hairy Primrose.
East	On a true line between Sec. 15, 16, 21, 22 T. R. II. N.R. No 277
17.72	To a Hickory 20 in. dia. stands in the line
39.88	Set the temporary post at the aver. distance on the true line from the cor. to the $\frac{1}{4}$ sec. from which a Juniper 4 in. dia. bears S 12 E. 24 links dist; & a W. Oak 14 " " N 63 W. 46 " "
59.74	To a Hickory 18 in. dia. stands in the line.
79.76	To the post set for the cor. to Sec. 14, 15, 22, 23.
North	Between Sec. 14 & 15 T. R. II. N.R. No 277.
0.45	To a Brook 15 ft wide, course S. S. W.
2.50	To the same stream 15 links wide, course S. S. E.
20.29	To a Sassafras 18 in. dia. stands in the line
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Hickory 4 in. dia. bears S 60 W. 13 links dist; & a Beech 8 " " S 65 E. 14 " "
64.42	To a Beech 19 in. dia. bears in the line.
80.00	Set a post for the cor. of Sec. 10, 11, 14 & 15 from which a Sugar 7 in. dia. bears S 75 W. 15 links dist and a Beech 18, " . N 70 E. 27 " "
	Land on the $\frac{1}{4}$ sec. with broken and 3 rd rate; 2 nd & p. mix- ture and 2 nd rate; Timber W. Oak, T. B. Oak, Beech, Sugar, Poplar Hickory, &c undergrowth Spire, Dog- wood, Juniper, Primrose.
West	On a Random line between Sec. 10, 11, 14 & 15 T. R. II. N.R. No 277

P. N. 11 N. R. N. 2 Y. 2nd Mer. (Ind.)

40.00

Set a temporary post for the cor. to $\frac{1}{4}$ sec.

46.70

To a Brook 12 links wide; course S. E.

80.28

Intersected the St. P. line 15 links N. of the post set for the cor. of sec. 9. 10. 15 & 16. Land broken and do 3rd rate timber WTB Oak Hickory & M.G. Dogst. Juniper Brush

East

22.61

On a true line between Sec. 10 & 15 & T. N. 11 N. R. N. 2 Y.

40.14

To a Beech 12 in. dia. Stands on the line

57.60

Set the temporary post at the aver. dist. on the true line for the cor. to the $\frac{1}{4}$ sec. from which a

80.28

Beech 13 in. dia. bears 116 N. 24 links east; and a

Sugar 17 " " 116.29 " "

To a Sugar 16 in. dia. stands in the line.

To the post set for the cor. of sec. 10. 11. 14 & 15

North

Between Sec. 10 & 11. T. N. 11 N. R. N. 2 Y.

7.58

To a Brook 12 links wide; course S. E.

26.10

To a W. Oak 20 in. dia? Stands on the line.

40.00

Set a post for the cor. to the $\frac{1}{4}$ sec. from which a

Sassafras 8 in. dia bears 176 N. 9 links east; To a

Juniper 6 " " 137 E. 10 " "

55.28

To a Beech 19 in. dia. Stands on the line

80.00

Set a post for the cor. of sec. 2. 3. 10 & 11. from which a

Beech 26 in. dia bears 181 E. 17 links east; and a

Do 7 " " 163 N. 25 " "

Land part level and part broken 2nd & 3rd rate

Timber Beech. WTB Oak, Poplar, Hickory & Sugar

M.G. Spic Sassafras & Birches

West

On a Random line between Sec. 3 & 10. T. N. 11 N. R. N. 2 Y.

35.05

To a Brook 10 links wide; course S. S. E.

40.00

Set a temp. post for the cor. to the $\frac{1}{4}$ sec.

76.82

To a Brook 10 links wide; course S. S. E.

T. No. 11. R.R. No. 2 N. 2nd Mer. (Indiana)

80.47 Intercepted the N. & S. line 8 links S. of the post set for the cor. of sec. 3. 4. 9870. Lands part level and part broken 2nd & 3rd rate; Limbless Buck, Sugar, Poplar, W. Oak & Mader. Spicewood, Ironwood, Dogwood, Hazel, Birch &c.

- | | |
|-------|---|
| East | On a true line between Sec. 3 & 10. T. No. 11. R.R. N. & S. N. |
| 20.57 | To a Buck 21 in. dia. Stands on the line. |
| 40.23 | Set the temporary post at the aver. distance on the true line for the cor. of the $\frac{1}{4}$ sec. from which a Limbless Oak dia bears N. 34 W. 16 links dist; and a Buck 15, , , \$65 E. 19, , |
| 50.32 | To a Sugar 21 in. dia. Stands on the line. |
| 80.47 | To the post set for the cor. of sec. 2. 3. 10 & 11. |

- | | |
|-------|--|
| North | Between Sec. 2 & 3. T. No. 11. R.R. N. & S. N. |
| 24.64 | To a Poplar 44 in. dia. Stands on the line. |
| 40.00 | Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Buck 18 in. dia. bears N. 64 W. 14 links dist; and a Sugar 20, , , \$78 E. 29, , |
| 64.35 | To an Ash 22 in. dia. Stands on the line. |
| 70.18 | Intersected the N Boundary 3.18 ch. East of the post set for the cor. of sec. 34 & 35. T. No. 12 R.R. N. & S. N. and set a post for the cor. of Sec. 2 & 3 from which a Buck 16 in. dia. bears \$83 N. 23 links dist; and a Do 19, , , \$28 E. 19, , |
| | Lands level and 2 nd rate; Limbless Buck, Sugar, Poplar, Ash & W. Oak. Spicewood. Nov. 26 th 1819. |

- | | |
|-------|---|
| North | Between Sec. 35 & 36. T. No. 11. R.R. N. & S. N. |
| 18.84 | To a Buck 24 in dia. Stands on the line. |
| 24.00 | " " Brook 16 links wide; Larch N. S. N. 97. |
| 40.00 | Set apart for the cor. of $\frac{1}{4}$ sec. from which a |

427

I. N. II. A. P. N. 9 T. 2nd Mer (Ind.)

	Dogwood 3 in. dia. bears N 35° W. 11 links dist; and a Buck 4, " " S 65° E. 11 " "
60.00	So a Mt. Oak 18 in. dia stands in the line.
63.08	To a Brook 8 miles wide; course N.W.
80.00	Set a post for the cor. of 25, 26, 35 & 36. From which a Buck 16 in dia. bears N 20° E. 25 links dist; and a Dog 5, " " S 58° W. 5 " "
	Land broken and 3 rd rate; timber Mt. B. Oak, Beech, Hickory & W. Dogwood, Hickory, Oak, Ironwood, Sassafras, Birch &c.
<hr/>	
West	On a Random line between Sec. 26 & 35 I. N. II. A. P. N. 2d M
14.48	To a Brook 8 miles wide; course N.W.
40.00	Set a temp'y post for the cor. to the 1/4 sec.
61.00	To the Left Bank of White River
67.34	" R. t. Bk. " " "
79.84	Intersected the N & S line 20 miles South of the first at the cor. of Sec. 26, 27, 34 & 35 Land broken & 3 rd rate Timber Mt. Oak, B. Oak, Hickory and Buck &c. M. G Spic. Dogwoods, Oak & Ash & Birch &c.
<hr/>	
East	On the true line between Sec. 26 & 35. I. N. II. A. P. N. 2d M
12.50	Set a post on the R. t. Bank of White River for the cor. to frac. Sections 26 & 35. From which a Sycamore 18 in. dia. bears N 46° E. 16 links dist; and a Ash 10, " " S 69° W. 10 " "
18.84	Set a post on the Left Bank of White River for the cor. to frac. Sec. 26 & 35 from which an Ash 18 in. dia bears N 43° E. 28 links distant & Maple 10, " " N 47° E. 30 " "
39.92	Set the temp'y post at the cor. dist; with true line for the cor. to the 1/4 sec from which a Buck 6 in. dia. bears N 23° W. 11 links dist; and a

I. N. 11 N. R. No. 2 Yr. 2nd Mer. Ind.

- Logwood 5 in. dia. bears S25°W. 21 miles dist; and
 59.16 To a Sugar 12 in. dia. stands in the line
 79.84 To the post set for the cor. of sec. 25, 26, 25 & 36.

- East Between Sec. 25 & 36. I. N. 11 N. R. No. 2 Yr.
 23.58 To a Buck 13 in dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Buck 5 in. dia. bears N44°W. 5 miles dist; and a
 40.4 " " S24 E. 25 "
 49.50 To a Brook 6 miles mid; course N.W.
 66.06 To a Buck 22 in. dia. stands in the line.
 79.80 Into set the East Boundary 115 links N. of the post
 set for the cor. of sec. 25 & 36. Next the post set for the
 cor. of sec. 30 & 31. I. N. 11 N. R. No. 1 Yr. and took the
 same bearing true Land broken 2nd & 3rd rate
 timber Ash, W. Oak, Buck and Hickory &c. M. G.
 Spice, ash, &c.

- North Between Sec. 25 & 26. I. N. 11 N. R. No. 2 Yr.
 9.90 To a Spring branch; course N. S. W.
 24.84 To a sugar 16 in dia. stands in the line
 40.00 Set a post for the cor. off from which a
 Logwood 5 in. dia bears S80°W. 10 miles dist; and a
 Hornbeam 5 " " N22E. 19 " "
 45.50 To a pond 80 links mid. E & W.
 63.94 To a Buckeye 6 in. dia stands in the line
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26. From which a
 B. Elder 6 in dia. bears N9E. 12 miles distant &
 a Hackberry 5 " " S42W. 03 "
 Sand on the 1st 1/4 mile broken 3rd rate land; last
 1/4 mile loil and 2nd rate; timber W. Oak, Hickory
 Buck, Ash, Walnut, Hackberry, Buckeye &c. M. G.
 Dogwood, Hickory, Pines Spice Pawpaw &c

429

I. N. T. N. R. No. 977. Ind. Mar. Ind.

West	On a Ramrod line between Sec. 23, 24, 26, T. N. 11. N. R. 977. To the Left Bank of White River.
5.35	" " " " "
10.89	" " " " "
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ sec. Later set the N. S. line 64 links South of the post set for the cor. of Sec. 22, 23, 26, 27. Finds locd and R. rate; Timber Walnut Hackberry Birch Buckeye Elm Sugar &c U. S. Spice Pawpaw &c.
79.88	
East	On a true line between Sec. 23, 24, 26, T. N. 11. N. R. 977. To a Beech 19 in. dia stands in the line
24.54	Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Hackberry 16 in. dia bears S 61° W. 10 links distant, and a Hornbeam 16 " " N 19° W. 14 " "
39.94	To a Beech 16 in. dia. stands in the line.
55.68	Set a post on the R. Bank. of White River for the cor. to the fract. Sec. 23, 26. from which a Hackberry 8 in. dia bears S 54° W. 14 links dist; & a
68.00	Loc. 5 " " N 9° W. 7 " "
74.53	Set a post on the left Bank of White River for the cor. to fract. Sections 23, 26. from which a Maple 15 in. dia bears S 58° W. 3 links dist; and a Loc. 5 " " N 27° E. 9 " "
79.88	To the post set for the cor. of sec. 23, 24, 25 & 26.
East	Between Sec. 24 & 25 T. N. 11. N. R. No. 977.
12.00	Set a post on the Left Bank of White River for the cor. to fractional Sections 24, 25 from which a Red Bud 12 in. dia bears S 59° E. 32 links dist; and a Buckeye 14 " " N 45° W. 50 "
17.66	Set a post on the R. Bank of White River for the cor. to the fract. Sec. 24 & 25. from which a

430

T. N° 11. M.R. N° 2 opp 2nd Mer. Ind.;

- Maple 4 in. dia. bears N 29 E. 18 links dist; and a Cottonwood 16 " " S 55 N. 14 " "
- 40.00 Set a post for the cor. to the 1/4 sec. from which a Y-gland 15 in dia. bears S 21 E. 16 links dist; & a Sycamore 44 " " N 69 N. 20 " "
- 49.14 Set a post on the Left Bank of White River for the cor. to the fract. sec. 24 & 25 from which a Sycamore 18 in. dia. bears N 24 N. 7 links dist; a Maple 14 " " S 8 N. 12 " "
- 53.74 Set a post on the Left Bank of White River for the cor. to fract. sec. 24 & 25 from which a Hackberry 18 in. dia bears N 41 E. 28 links dist; to Locust 20 " " S 8 E. 48 " "
- 70.54 Set a post on the left Bank of White River for the cor. to fract. sections 24 & 25. from which a Hackberry 35 in. dia bears N 26 N. 26. links dist; to B. Elder 13 " " S 27 N. 37 " "
- 75.20 Set a post on the Left Bank of White River for the cor. to fract. sec. 24 & 25. from which a Maple 5 in. dia. S 61 E. of links distant and a Do. f. " " N 55 N. 9 " " "
- 77.74 Intersected the East Boundary 2.20 ch. S of the post set for the cor. of sec. 24 & 25. I. N° 11. M.R. N° 2 N and set a post for the cor. of sec. 24 & 25. from which an Elm 5 in. dia. bears S 70 N. 9 links dist; and a Hackberry 6 " " N 82 E. 21 " "
- Sands part 1st and part 2nd rate. Juniper Walnut Sycamore Hackberry Buckeye &c. W. J. Spur Pawpaw &c

North Return Sec. 23 & 24. I. N° 11. M.R. N° 2 N.

- 9.15 Set a post on the Left Bank of White River for the cor. to fract. sections 23 & 24 from which a

page
one

431

S. No. 11. N.P. N. 2 W. 2nd Mer. (Ind.)

	Cotton wood 3 mi. dist. bears N 75 E. 12 miles distant; & a Do. 3. " " S 11 W. 13 "
14.03	Set a post on the R. Bank of White River for the cor. to the front sections 23.124. from which an Elm 5 mi. dist. bears N 75 E. 24 miles distant; and a Buck 24. " " S 54 W. 18 " "
40.00	Set a post for the cor. to 1/4 sec. from which a Blackberry 14 mi. dist. bears S 55 W. 2 miles distant; & a Do. 4 " " N 45 E. 7 " "
68.40	To a Sugar 14 mi. dist. stands in the line
80.00	Set a post for the cor. of sec. 13.14. 23.124. from which an Elm 6 mi. dist. bears S 22 E. 5 miles distant; and a Blackberry 4. " " N 12 W. 14 " " Same loc. and 1 st rate; Timber Walnut, Huckleberry, Buckeye, Ash, &c. underg. Spice, Pawpaw, &c.
West	On a random line between Sec. 14 & 23. I. N. 11. N.P. 2 W.
27.36	To a Brook 12 miles west; bearing S. E.
40.00	Set a temporary post for the cor. to 1/4 sec.
77.16	To a Brook 15 miles west; bearing S. S. E.
78.00	" the same stream 15. " " N. E.
80.00	Interspersed the W. Boundary or. At S line 29 miles S. of the post set for the cor. of sec. 14.15.22.123. Same loc. 1 st & 2 nd rate; Timber Walnut, Huckleberry, Sugar, Buckeye, Birch and Oak. W. J. Spice Pawpaw, &c.
East	On the true line between Sec. 14.123. I. N. 11. N.P. N. 2 W.
19.73	To a Water Oak 12 mi. dist. stands in the line.
40.00	Set a post for the cor. to the 1/4 at the over. east; on the true line from which a
	Sugar 27 mi. dist. bears N 78 E. 13 miles westward to a Buck 19. " " S 17 W. 23 " "
56.00	To a W. Walnut 66 mi. dist. stands in the line

N. II. N. R. R. & W. 2nd Mer. (Ind.)

80.00

Set post for the cor. to sec. 13. 14. 23. & 24

East

Between Sec. 13 & 14 I N. II. N. R. R. 277.

25.95

To an Elm 19 in. dia. Stands in the line.

33.64

To a Brook 5 miles west; course South.

44.07

Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Beech 15 in. dia. bears N 46 E 14 miles west; and a

66.50

Hickory 18 in. dia. bears N 97 W 23 " "

77.78

Between Sec. 13 & 14 3.65 ch. N. of the post

Set for the cor. of Sec. 13 & 14. and set a post for the cor. of Sec. 13 & 14 from which a

Maple 10 in. dia. bears N 41 W 10 miles west; and a

Hickory 23 " " S 66 W 8 " "

Sand hill and $\frac{1}{2}$ rd. rate; some 2nd. rate; Elm, Walnut,

Ash, Sugar, Elm, Beech, W. Oak &c. W. G. Spie.

Pawpaw, &c.

North

Between Sec. 13 & 14 I N. II. N. R. R. 277.

22.53

To a Cherry 16 in. dia. Stands in the line.

40.08

Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Hickory 3 in. dia. bears N 63 W 11 miles west; and a

Beech 21 " " S 69 E. 29 " "

64.00

To a Shell Bank Hickory 17 in. dia. Stands in the line

80.00

Set a post for the cor. to Sec. 11. 12. 13. & 14. from which a

Maple 14 in. dia. bears N 19 W 15 miles west; and a

Ash 16 " " S 40 E. 27 " "

Sand & $\frac{1}{2}$ rd. mill land & rd. rate; 2nd $\frac{1}{2}$ mile broken 3rd

rate; Elm, Walnut, Sugar, Ash, Cherry, Huckleberry

W. Oak, Hickory, Beech &c. W. G. Spie., Gallafras, Paw-

paw, Hogwood &c Nov. 29. 1819

West

On a Random line between Sec. 11 & 14 I N. II. N. R. R.

40.00

Set a temporary $\frac{1}{4}$ sec. post.

I. N° 11. N.R. N° 277 2nd Mer. (Ind.)

52.54 To a Brook 8 miles mid; course E. S. E. opp.
80.54 Intercepted the W & S line 64 links back of the post set
for the cor. of sec. 10. 11. 14. & 15 Land broken 3rd rate
Timber W. Oak, Beech, and Hickory Poplar &c
Undergrowth Dogwood, Sumac & Briars &c

East	On a true line between Sec. 11 & 14 I. N° 11. N.R. N° 277
20.54	To a Bush 17 in. dia. Stands in the line
40.02	Set the triangl. post at the avr. distance on the true line for the cor. to the 1/4 sec. from which a Beech 16 in. dia. bears S 44 E. 11 miles dist; and a Dogwood 5, " " 143-25, "
60.27	To a Poplar 33 in. dia. Stands in the line
80.04	To the post set for the cor. of sec. 11. 12. 13 & 14.

East	Between Sec. 12 & 13. I. N° 11. N.R. N° 277.
24.34	To a Bush 30 in. dia. Stands in the line
40.00	Set a post for the cor. to the 1/4 sec. from which a Sp. Oak 10 in. dia. Stands N 55 E. 12 miles dist; & a W. Oak 14, " " S 53 E. 28, "
55.50	To a Bush 17 in. dia. Stands in the line
68.50	" " Brook 15 miles mid; course South.
77.75	Intercepted the East Boundary 375 ch. North of the post set for the cor. of sec. 12 & 13 and set a post for the cor. of sec. 12 & 13 from which a Sycamore 36 in. dia. bears S 48 W. 19 miles dist; and a Bush 18, " " N 40 W 27, "
	Land part hard and part broken 3 rd rate, Timber Beech, W. & B. Oak Sp. Oak Hickory &c M. J. Spice Dogwood, Sumac, Sassafras & Briars &c

North	Between Sec. 11 & 13. I. N° 11. N.R. N° 277.
22.45	To a Bush 17 in. dia. Stands in the line.

I. N^o 11. N.R. N^o 277. 2nd Mar. (Ind^a)

40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Dogwood 4 in. dia. bears S49W. 35 links dist; to Hickory 18 " " N28E. 18 "
61.37	To a P. Gum 16 in. dia. Stands in the line
80.00	Set a post for the cor. of sec. 1. 2. 11. & 12. From which a Buck 13 in. dia bears S85E. 17 links dist; and a No. 14. " " N20W. 17. "
	Sand broken 2 nd & 3 rd rate; Timber Buck, Hickory, W. Oak, G. Oak, & undergrowth Dogwood, Cassafas, Pine 10

West	On a Random line between Sec. 2 & 11. I. N ^o 11. N.R. 277.
37.57	To a Brook 8 links wide; Course S.S.E.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
45.57	To a Brook 8 links wide; Course S.E.
79.84	Intersect the N.E. line 68 links south of the post set for the cor. of sec. 2. 3. 10. & 11. Sand part rock and part broken 2 nd & 3 rd rate; Timber Buck, Sugar, W. & B. Oak, Hickory & W. J. Dogwd. Cassafas, Hickory, Pine 10

East	On a true line between Sec. 2 & 11. I. N ^o 11. N.R. 277.
15.84	To a Shellbark Hickory 20 in dia. Stands in the line
39.92	Set the temporary post for the cor. to the $\frac{1}{4}$ sec. Post the cor. dist on the true line for the cor. to the $\frac{1}{4}$ sec from which W. Oak 6 in dia bears N60E. 5 links dist; to a Cassafas 14. " " S54W. 14. "
61.69	To a P. Oak 36 in dia. Stands in the line.
79.84	To the post set for the cor. to sec. 1. 2. 11. & 12.

East	Pattern Sec. 16 1/2. I. N ^o 11. N.R. N. 277.
19.96	To a W. Oak 20 in. dia. Stands in the line
39.90	To a Brook 6 links wide; Course S.S.E.

43:

P. N. 11. M.R. N. D.W. 2nd Mar. (Ind.)

40.00	Set a post for the cor. to the 1/4 sec. from which a Hornbeam 5 in. diam. bears S 70° E. 14 links dist; & to
	Beech 15 " " " S $79^{\circ}77'17''$ "
59.60	To a sugar 17 in. diam. Stands in the line
64.30	" " Brook 10 links mid; Course S.S.W.
65.15	" " " 16 " " " S.S.E.
68.09	" " " " " " W. S.W.
70.45	" " " " " " S.Y.
77.85	Entered into the East Boundary 410 ft. N. of the post Set for the cor. of sec. 1+12 and set a post for the cor. of sec. 1+12 from which a Beech 8 in. diam. bears S $38^{\circ}W.$ 7 links dist; & to
	Ld. 7 " " " A $28^{\circ}W.$ 5 " "
	Sand part worn out part broken D 20° & 3rd rate; Timber Beech, W.B. & Sp. Oak, Hickory, Sugar & M.J. Dogwoods Spiv, Sassafras Briar &

North	Between Sec. 11 & T. N. 11. M.R. N. D.W.
22.45	To a Beech 13 in. diam. Stands in the line
40.00	Set apart for the cor. to 1/4 sec. from which a W. Oak. 60 in. diam. bears N $48^{\circ}W.$ 8 links dist; & to
	Beech 23 " " " S $75^{\circ}E.$ 10 " "
57.45	To a Sp. Oak 16 in. diam. Stands in the line.
71.76	Entered into the S. Boundary 270 ft E. of the post set for the cor. of sec. 35+36. T. N. 12. M.R. N. D.W. Set a post for the cor. of sec. 1+2 from which a Poplar 18 in. diam. bears S $25^{\circ}E.$ 4 links dist; & to
	Ld. 42, " " " A $38^{\circ}77'7$ " "
	Sand Broken & 3rd rate; Timber Beech, W.B. Oak, Hick- ory, Sugar &c. M.J. Sassafras, Hickory, Oak briars
	Dec. 13. 1819

J. N° 11. M.R. N° 2 W. 2nd Mer. Ind.

Meadows of White River

Commencing at the post on the Right Bank in the
line between Range 15 S.W. three Doms Stream

N 35 W 5.00 in sec. 25. Intercept the line between 24 & 25
S 5.20 East of the post cut for the cor. of sec.
23, 24, 25, 126 Mouth of the River on line 475

N 6 E. 3.50

N 19 E. 6.00 To the post on the Range line. between Sec. 24
J. N° 11. M.R. 2 W. & Sec. 19 J. N° 11. M.R. 1 W

N 25 E. 7.50

N 2 E. 3.50 These meadows belong in Sec. 19. J. N°
N 4 W. 4.00 11. M.R. N° 1 W.

N 9 W. 2.50

N. 34 W. 3.50

N 44 W. 0.82 Intercept the Range line between Range 112 W.
For width of River & length of lines see Town
Limits.

N 55 W. 6.50

N 84 W. 4.00

S 84 W. 5.00

S 179 W. 8.00

N 54 W. 5.00

N 31 W. 10.00

N 62 W. 4.50

N 84 W. 8.50

S 55 W. 5.00

S 27 W. 6.00 To the mouth of a stream 15 miles on its course

S 4 W. 4.00

S 17 E. 5.00

S 11 E. 6.50

S 28 E. 6.00

S 39 E. 8.50

S 51 E. 8.00

In Range 1 W.

437

T. N° 11. A.R. N° 2 M. 2nd Mer. Ind.^a

S45 E.	500	
G18 E.	583	To the line between Sec. 24 & 25. T. N° 11. M.R. 2 M 49.14 East of the post set for the cor. of sec. 23. 24. 25. & 26. Width of the river on the line 4.60 ch. thence
S17 N.	7.00	
S53 N.	4.50	
S75 N.	4.50	
S89 N.	4.00	
A65 N.	9.00	
A57 N.	7.50	
A48 N.	4.36	To the post on the line between Sec. 24 & 25 - 14.66 East of the post set for the cor. of Sec. 23. 24. 25 & 26. Width of the river on the line is 5.66. ch. thence
A30 N.	6.00	
A26 N.	7.00	
A67 N.	3.50	
A87 N.	6.62	To the post on the line between Sec. 23 & 24 - 14.23 North of the post set for the cor. of Sec. 23. 24. 25 & 26. Width of the river on the line 5.08 ch. thence
S75 N.	4.00	
S47 N.	5.00	
S32 N.	4.00	
S17 N.	6.50	To the post on the line between Sec. 23. 24. 25 & 26 - 10.89 West of the cor. to Sec. 23. 24. 25 & 26. Width of the River on the line between Sec. 5.54 ch. thence
S45 N.	8.50	
A89 N.	9.00	
S56 N.	7.50	
S29 N.	5.00	
S4 N.	4.50	
S29 E.	6.00	
G48 E.	4.50	

D. N. 11. M. P. N. 277. 2nd Mer. Ind.

455 E.	4.50	
950 E.	5.00	
139 E.	6.50	
11 E.	3.50	
149 N.	8.50	
161 N.	9.00	
164 N.	5.00	
134 N.	8.50	
161 N.	7.00	
184 N.	4.50	
169 N.	5.00	
144 N.	5.00	
126 N.	5.00	
114 N.	4.00	
125 N.	4.00	
19 N.	7.50	
11 E.	6.00	
19 N.	4.50	
128 N.	2.50	To the post on the line between Sec. 26 & 35 & 34 West of the first set for the cor. of sec. 25, 26, 35 & 36. Width of the River on the line 7.34 chl. Nov. 30 1819
West	6.00	
170 N.	4.50	
156 N.	3.80	The post on the line between sec. 34 & 35. 76.80 N. of the first set for the cor. to sec. 34 & 35. 9.10 M.R.W. Width of the River on the line 3.90 chl. thence
170 N.	8.50	
182 N.	6.00	
174 N.	5.00	
171 N.	6.00	
175 N.	4.50	
171 N.	6.50	
162 N.	20.00	

439

P. N. II. M. R. P. 2 W. 2nd Mar. 1865.

S4877.	10.50.
S4677.	10.00
S3077.	10.00
S4177.	3.50
S5477.	3.67 To the post on the line between Sec. 33 & 34. 35.03 ch. North of the cr. to Sec. 33 & 34 — Width of the on the line 5.32. ch. thrice
N5777.	8.50
N6877.	6.50
N7577.	7.00
N6877.	13.50
N6077.	13.00
N5077.	10.00
N8877.	13.50
N5877.	7.50
N7977.	5.78 To the post on the line between Sec. 32 & 33. 75.38. North of the post cr. to Sec. 32 & 33. Width of the River on the line 4.21 ch. thinn
N8077.	5.00
S5177.	6.00
S3077.	5.00
South	9.50
S16 E.	4.50
S3 E.	3.00
S25 E.	4.00
S31 E.	4.00
S5777.	3.00
S4377.	2.00
S7677.	3.00
N7277.	5.00
N3377.	5.00
N8777.	9.00
N58 E.	9.00

440

T. N. 11. R.R. No 3 T.P. 2nd Mer. (Ind.)

N 13 W.	3.50	
N 21 W.	4.50	To the post on the line between Sec. 29 & 33 24-10' West of the post set for the cor. of sec. 28, 29 32 & 33. Width of the river on the line 4.95 ch.
N 38 W.	4.00	
S 14 W.	6.00	
S 80 W.	6.50	
N 39 W.	4.80	To the post on the line between Sec. 29 & 33 - 40.60 West of the post set for the cor. to sec. 28, 29, 32 & 33 Width of the river on the line 6.62 ch. Then to a Brook 3.5 miles down, corner S.E.
S 34 W.	4.00	
S 24 W.	5.00	
S 4 W.	11.50.	
S 13 W.	4.50	
S 22 W.	2.80.	To the post on the N.E. Boundary of Harrison's Purchase cor. of sec. Sec. 32.

Surveyed by Thos. Brown

Dec 1st 1819.

Commenced at the Township line between Townl. 10 & 11 N.
R. 2 W. on the Right Bank of White River

N 41 W.	518	
N 30 W.	6.27	
N 24 W.	8.89	
N 14 W.	5.36	
N 3 W.	6.29	
N 10 W.	9.44	
N 4 W.	1.98	
N 3 E.	6.61	
N 26 E	6.09	To the N.E. Boundary of Harrison's Purchase Surveyed by William Harris A.S.

444

T. N. H. N. R. N. D. W. 2nd Mer. Ind.^a

Meanders of White River. Left Bank. Commencing
in the South Boundary of Sec. 32. T. N. H. N. R. N. D. W.
thence up stream

I think the River was meandered only
on one side up to the time on the N.E. of Harrison's
Purchase. (down stream)

Commenced on the N.E. Boundary of Harrison's Pur-
chase Sec. 32 thence up stream on the Left Bank.

A.14 E.	15.00	
A.4 E.	9.00	In Sec. 32.
A.24 E.	7.00	
A.70 E.	2.54	To the first on the line between Sec. 29. & 30. - 34.00
		West of the cor. to Sec. 29. 30. 31. & 32. thence
East	4.50.	
S.52 E.	3.50	
South	9.00	
S.11 W.	7.00	
S.2 W.	9.00	
S.11 E.	9.00	
S.25 E.	9.50	
S.54 E.	6.50	
A.80 E.	4.50	
A.38 E.	6.50	

442

T. N° 11 R.R. N° 2 T. 2nd Mer., Ind.

N 14 E.	7.50	
N 17 W.	15.50	
N 4 W.	6.00	
N 50 E.	4.00	
N 10 E.	3.70	To the post on the line between Sec. 32 & 33. - 70.09 North of the post set for the cor. of sec. 32 & 33
S 13 E.	4.50	
S 36 E.	7.00	
S 49 E.	8.00	
S 55 E.	10.00	
S 47 E.	8.50	
S 61 E.	13.50	Heath Bluff and good stone quarry
S 77 E.	1.50	
S 84 E.	5.00	
S 69 E.	5.50	
S 66 E.	11.00	
S 50 E.	3.30	To the post on the line between Sec. 33 & 34 - 29.70 North of the post set for the cor. of sec. 33 & 34
East	0.75	To a Brook 10 miles wide. Corner N.W.
N 31 E.	2.50	
N 44 E.	5.00	
N 30 E.	4.50	
N 19 E.	9.00	
N 48 E.	7.00	
N 77 E.	12.00	
N 66 E.	4.00	
N 59 E.	6.50	
N 70 E.	11.00	
N 81 E.	7.00	
N 87 E.	7.00	
N 69 E.	5.50	
N 58 E.	9.00	
N 54 E.	3.50	To the post on the line between Sec. 34 & 35

443

T. R. 11. M.R. N. 27th 2nd Mer. Ind.

		To 90 ch. N of the Post cor to Sec. 34 & 35
N72 E.	6.00	
N79 E.	4.00	
N72 E.	3.00	
N89 E.	6.50	To a Brook 15 links wide, from S.E.
N51 E.	2.50	
N20 E.	2.08	To the post on the line between Sec. 26 & 35-61.00 West of the cor. to Sec. 25, 26, 35 & 36. Dec. 2. 1819
N17 E.	5.00	
N8 W.	12.00	
N17 E.	9.00	
N32 E.	5.00	
N18 E.	6.50	
S68 E.	3.50	
S21 E.	7.50	
S54 E.	7.00	
N88 E.	6.50	
N60 E.	6.00	
N43 E.	4.00	
N64 E.	7.50	
N35 E.	2.50	
N28 E.	10.00	
N13 W.	2.50	
N39 W.	3.50	
N59 W.	15.00	
N42 W.	4.00	
N25 W.	5.00	
N15 E.	4.50	
N72 E.	2.00	
S87 E.	7.00	
N64 E.	7.00	
N40 E.	8.00	
N15 W.	4.31	To the post on the line between Sec. 23 & 26.

444

T. N. 11. R. P. N. 2nd Mer. Ind.

		5.35 West of the line cor. 23, 24, 25 & 26.—
N28 E.	6.00	
N39 E.	5.00	To the post on the line between Sec. 23, 24, 25 & 26. North of the cor. to Sec. 23, 24, 25 & 26.
S84 E.	4.50	
S60 E.	3.50	
S32 E.	8.00	To the post on the line between Sec. 24 & 25 - 12.00 East of the cor. to Sec. 23, 24, 25 & 26. Thence
S39 E.	6.00	
S48 E.	6.50	
S60 E.	5.00	
S64 E.	9.00	
S79 E.	8.00	
N71 E.	8.00	
N42 E.	6.00	
N19 E.	6.50	
N2 W.	3.95	To the post on the line between Sec. 24 & 25 53.74 East of the cor. to Sec. 23, 24, 25 & 26. Thence
N27 W.	3.00	
N23 W.	6.00	
N45 W.	18.50	
N29 W.	4.50	
N23 W.	7.50	
N8 W.	5.00	
N25 E.	5.00	
N61 E.	4.00	
S63 E.	3.50	
S38 E.	8.50	
S51 E.	5.50	
S67 E.	8.50	
S88 E.	12.50	
S58 E.	5.00	
S20 E.	4.50	

T. N. II. N. R. N. D. W. and M. Ind.

\$7 W.	4.00	
\$19 W	3.50	
\$24 W	5.00	
\$28 W	4.50	
\$10 W	3.50	
South	1.60	To the post on the line between Sec. 24, 125 - 7054 East of the post set for the cor. of sec. 23, 24, 25 & 26
\$15 E.	7.50	
\$53 E.	5.00	
\$69 E.	1.65	To the post on the Range line between Range 152 N. cor. of sec. 25 & 31. Dec 3 rd 1819.

Surveyed by
Thomas Brown L.S.

I certify that the foregoing transcript of the
Field notes of Township N. II. North of Range
N. D. West of the 2nd Principal Meridian in In-
diana, has been compared with the Original notes
in this Office, and is found to be correct.

Surveyor General's Office

Cincinnati, Nov. 30th 1840

P. S. Glaire

Sur. Gen.